




October 19, 2016 Review... Presentation Review

Thanks to Myrian Salazar for the photos

Enjoy the Meeting...



The 27th Tri-State POC
Network Meeting
featuring...



- HIV
- ACTs
- CAP
- And More

www.pointofcare.net/Tri_State/index.htm

EXIT



Meeting host Darlene Sobucki welcomed a large crowd to the 27th Tri-State POC Network Meeting

HIV-THE PAST

Since the first case was identified in 1981, acquired immune deficiency syndrome (AIDS) has grown into an epidemic that has taken approximately 500,000 lives in the United States alone



Donna Sinclair presented 'Integrating Routine HIV Screening - Lessons Learned'

Who Am I?

Truth vs. Illusion

1 - The Inner Being

- Eternal
- Light
- Pure
- Peaceful

2 - The Body

- Title/Degree
- Roles
- Race/
Ethnicity
- Gender

Mary Friedland presented 'Meditation for Busy People'

General Arterial Blood Gas (ABG) Overview:

- Arterial blood gas is a lab that shows status of a patient's chemical balance
- Indicates tissue oxygenation, adequate ventilation and acid-base status disturbances
- Lab typically drawn from artery by an RT
- Ordered when a patient has difficulty breathing, has shortness of breath, on oxygen therapy, has altered mental status or unresponsive.

Patti DeJulio, MS, RRT-ACCS, RRT-NPS from Northwestern Medicine – Central Dupage Hospital, presented 'Point of Care Blood Gas Testing – Why Knowing Now Matters'

What is an ACT?

- Modified Lee-White clotting time
 - Add blood to glass tube, shake
 - Place in heat block
 - Visual clot detection
- First described in 1966 by Hattersley
 - Activated Clotting Time
 - Add blood to glass tube with dirt, shake
 - Diatomaceous earth activator
 - Place in heat block
 - Visual clot detection
 - Proposed for both screening for coagulation defects and for heparin monitoring

EXIT



*Marcia Zucker, PhD presented ‘
The 123’s of ACT: What It Is, Where It’s Used, Which ACT’s are
Available, and Why the Numbers are So Different?’*

What is an ACT?

- Modified Lee-White clotting time
 - Add blood to glass tube, shake
 - Place in heat block
 - Visual clot detection
- First described in 1966 by Hattersley
 - Activated Clotting Time
 - Add blood to glass tube with dirt, shake
 - Diatomaceous earth activator
 - Place in heat block
 - Visual clot detection
 - Proposed for both screening for coagulation defects and for heparin monitoring

EXIT



*Marcia Zucker, PhD presented ‘
The 123’s of ACT: What It Is, Where It’s Used, Which ACT’s are
Available, and Why the Numbers are So Different?’*



*Jean Ball from CAP presented
'Quality Management – making it Meaningful'*



October 19, 2016... Thank You Vendors!

Thanks to Myrian Salazar for the photos



Colon Cancer Screening



Coagusense



Mary Friedland



BD Diagnostics



Telcor



SIEMENS Healthineers



Bob Ricetti



Radiometer



Alere Informatics



Alere



Clinical Innovations



Quidel



Abbott



AccuVein



Nova Biomedical



Nova Biomedical



Accriva Diagnostics