

MATERIAL SAFETY DATA SHEET

MSDS.1250.01, rev. 02/05



Stanbio Laboratory STANBIO
1261 North Main Street
Boerne, TX 78006
(830) 249-0772 (800) 531-5535
<http://www.stanbio.com>

QuPID® Plus E.R. hCG Pregnancy Cat. No. 1250, 1251-001, 1250-025, 1250-050, etc.

PRECAUTION

For In-Vitro Diagnostic Use Only

HAZARDOUS INGREDIENTS

In compliance with OSHA's Hazard Communication Standard (29CFR 1910.1200), a chemical mixture is considered hazardous if it contains 1.0% or more of a hazardous compound or 0.1% or more of a carcinogen. The product does NOT contain hazardous material(s) in excess of these amounts, therefore, no MSDS is required under the standard.

Principle Hazardous Component(s) of QuPID® Plus E.R. Pregnancy One-Step Device, Cat. #1251

<u>Chemical Name</u>	<u>CAS No.</u>	<u>Concentration</u>
None determined to be hazardous		

None determined to be hazardous

PHYSICAL CHARACTERISTICS (Physical/Fire/Explosive Data)

Not applicable

REACTIVITY DATA

Reagents do not contain hazardous materials according to the standard.

STABILITY: Stable
INCOMPATIBILITY: None
HAZARDOUS POLYMERIZATION: Will not occur

HEALTH HAZARD DATA

Device alone is not considered a health hazard. Once the test is performed using urine or serum, the device should be handled as though capable of transmitting disease.

Although no MSDS is required by the standard, the following general guidelines are given should reagents be inhaled, ingested, or exposed to eyes or skin.

EMERGENCY AND FIRST AID PROCEDURES

INHALATION:	Provide fresh air. Restore or support breathing. Keep victim warm and quiet. Get medical attention.
EYES:	Flush eyes including under the eyelids with water for 15 minutes. Get medical attention.

QuPID® Plus E.R. hCG Pregnancy Cat. No. 1250, 1251-001, 1250-025, 1250-050, etc.

SKIN: Flush skin with water for 15 minutes. Wash affected area thoroughly with soap and water. Remove contaminated clothing and shoes. Get medical attention if irritation develops or persists.

INGESTION: Wash out mouth with generous amounts of water. Do not give anything by mouth to an unconscious person. Get medical attention.

SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:	None required unless product is misted
VENTILATION:	Good ventilation
GLOVES:	Yes
LAB COAT:	Yes
EYE PROTECTION:	Yes
LABORATORY PRECAUTIONS:	Normal laboratory precautions are recommended.

SPECIAL PRECAUTIONS

Serum matrix diluent contains sodium azide as a preservative. Accumulation of azide may react with copper or lead plumbing to form explosive compound on percussion. Flush drain with copious amounts of water to prevent build up.

SPILL/LEAK PROCEDURES

SPILL RESPONSE: Disposal should be made in accordance with existing disposal practices employed for infectious waste.

WASTE RESPONSE: Dispose of in a manner consistent with federal, state and local regulation.

The information contained in this MSDS is believed to be accurate and represents the best information currently available. Stanbio Laboratory makes no warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should determine suitability of the information contained in MSDS for their particular purpose. In no way shall Stanbio Laboratory be liable for any claims, losses or damages resulting from using information contained in MSDS.

Stanbio Laboratory
1261 North Main Street
Boerne, TX 78006
(830) 249-0772 (800) 531-5535
<http://www.stanbio.com>